


## Type CSKV (conduit and cable fitting)





#### PRODUCT INFORMATION

The CSKV conduit and cable fitting is a combination of our proven WKK cable fitting and the EH conduit fitting.

The fittings are made of specially modified polyamide.

The materials are halogen, phosphor and cadmium-free.

The CSKV conduit and cable fittings feature the following advantages:

• No parts can get lost, delivered com-


pletely assembled

- Tightness of IP 65 for static and dynamic application
- Integrated clamping ring ensures high tear-out strength
- Optimum strain relief for the cable due to iris-shaped lamellae

#### Specification:

- UL listed E 148958
- EN 45545-2:2013 3x HL3

## **SPECIFICATIONS**













Туре	Order No.	Colour	Connecting thread	Suitable for Murrflex	EH mm	GL mm	Clamping range (LW) mm	SW 1 / 3 mm	Pack qty.
Pg threads									
CSKV-Pg 16 <sup>1)</sup>	83581216	Grey	Pg 16	M20/P16(S)	52.00	10.00	10.00 – 14.00	27.00 / 27.00	50
<sup>1)</sup> With cURus- approval									

## **MATERIAL PROPERTIES**



Fitting: Mod. polyamide PA 6 Moulded seal: Perbunan (NBR)

#### **MECHANICAL PROPERTIES**



**Protection class** 

IP 65

#### THERMAL PROPERTIES



**Temperature / temperature range** 

-40 - 110 °C transient / short term 140 °C

## **FIRE BEHAVIOUR**



Fire classification

V0 self-extinguishing

Fire properties as per EN 45545-2: 2009

C.I.T. R22 / R23 HL3 = 0,43 LOI R22 / R23 HL3 = 33,8 % Ds (max.) R23 HL3 63



# Type CSKV (conduit and cable fitting)

## **APPROVALS AND OPERATING PERMITS**



Railway EU approval



cURus approval

## **TECHNICAL INFORMATION**



Halogen-free

## **CONFORMITY**



RoHS (EC Directive 202/95/EC)

## **GENERAL INFORMATION**



**Made in Germany** 

All details given in our sales material prospectuses and catalogues as well as the information available online are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.