



BBCV2.MH20555 - LITHIUM BATTERIES - COMPONENT

Lithium Batteries - Component

See General Information for Lithium Batteries - Component

EEMB CO LTD

9th Fl, Amtel Bldg
148 Des Voeux Rd
Central, HONG KONG

MH20555

Model No.	Primary Type ^[a]	Max Abnormal Charging Current mA	Max Abnormal Charging Voltage, V dc	Replacement [b],[c]
1/2AA	Lithium/manganese dioxide	10	-	Technician
AA	Lithium/manganese dioxide	10	-	Technician
CR1025 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR1216 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR1220 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR1225 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR123A	Lithium/manganese dioxide	10	-	Technician
CR14250BL	Lithium/manganese dioxide	10	-	Technician
CR14250SL	Lithium/manganese dioxide	10	-	Technician
CR14300SL, CR14300BL	Lithium/manganese dioxide	17	10	Technician
CR14505BL	Lithium/manganese dioxide	10	-	Technician
CR14505SL	Lithium/manganese dioxide	10	-	Technician

CR15270SL, CR15270BL, CR2SL, CR2BL	Lithium/manganese dioxide	17	10	Technician
CR1616 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR1620 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR1632 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR17335BL	Lithium/manganese dioxide	10	-	Technician
CR17335SL	Lithium/manganese dioxide	10	-	Technician
CR17450SL, CR17450BL	Lithium/manganese dioxide	44	10	Technician
CR17505SL, CR17505BL	Lithium/manganese dioxide	111	10	Technician
CR2	Lithium/manganese dioxide	25	10	Technician
CR2016 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
CR2025 EEMB*	Lithium/manganese dioxide (Coin)	10	-	User
CR2032 EEMB*	Lithium/manganese dioxide (Coin)	10	-	User
CR20505BL	Lithium/manganese dioxide	10	-	Technician
CR20505SL	Lithium/manganese dioxide	10	-	Technician
CR2320 EEMB*	Lithium/manganese dioxide	10	5.0	User
CR2325 EEMB*	Lithium/manganese dioxide	10	5.0	User
CR2330 EEMB*	Lithium/manganese dioxide	10	5.0	User
CR2335 EEMB*	Lithium/manganese dioxide	10	5.0	User
CR2354 EEMB*	Lithium/manganese dioxide	10	5.0	User

CR2430 EEMB*	Lithium/manganese dioxide	15	5.0	User
CR2450 EEMB*	Lithium/manganese dioxide	15	5.0	User
CR2477 EEMB*	Lithium/manganese dioxide	15	5.0	User
CR26500BL	Lithium/manganese dioxide	20	-	Technician
CR26500SL	Lithium/manganese dioxide	20	-	Technician
CR3032 EEMB*	Lithium/manganese dioxide	15	5.0	User
CR34615BL	Lithium/manganese dioxide	40	-	Technician
CR34615SL	Lithium/manganese dioxide	40	-	Technician
CR927 EEMB*	Lithium/manganese dioxide	2.5	5.0	User
ER10450	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER13150	Lithium thionyl chloride	10	-	Technician
ER14250	Lithium thionyl chloride	10	-	Technician
ER14250	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER14250H	Lithium thionyl chloride	20	-	Technician
ER14250M	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER14250M	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER14335	Lithium thionyl chloride	10	-	Technician
ER14335	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER14335M	Lithium thionyl chloride (Cylindrical)	17	3.9	Technician
ER14505	Lithium thionyl chloride	10	-	Technician
ER14505	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician

ER14505H	Lithium thionyl chloride	20	-	Technician
ER14505M	Lithium thionyl chloride (Cylindrical)	28	3.9	Technician
ER14505M	Lithium thionyl chloride (Cylindrical)	20	3.9	Technician
ER17335	Lithium thionyl chloride	10	-	Technician
ER17335	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER17335M	Lithium thionyl chloride (Cylindrical)	26	3.9	Technician
ER17505	Lithium thionyl chloride (Cylindrical)	43	3.9	Technician
ER17505	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER17505M	Lithium thionyl chloride (Cylindrical)	35	3.9	Technician
ER18505	Lithium thionyl chloride	10	-	Technician
ER18505	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER20505	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER20505M	Lithium thionyl chloride (Cylindrical)	47	3.9	Technician
ER2450	Lithium thionyl chloride (Cylindrical)	6	3.9	Technician
ER26500	Lithium thionyl chloride	10	-	Technician
ER26500	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER26500H	Lithium thionyl chloride	40	-	Technician
ER26500M	Lithium thionyl chloride (Cylindrical)	91	3.9	Technician
ER26500M	Lithium thionyl chloride (Cylindrical)	50	3.9	Technician
ER32100	Lithium thionyl chloride	20	-	Technician
ER3265	Lithium thionyl chloride	20	-	Technician
ER34065	Lithium thionyl chloride (Cylindrical)	16	3.9	Technician

ER34100	Lithium thionyl chloride (Cylindrical)	22	3.9	Technician
ER34100	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER341245	Lithium thionyl chloride (Cylindrical)	20	3.9	Technician
ER34615	Lithium thionyl chloride	40	-	Technician
ER34615	Lithium thionyl chloride (Cylindrical)	10	3.9	Technician
ER34615H	Lithium thionyl chloride	150	-	Technician
ER34615M	Lithium thionyl chloride (Cylindrical)	189	3.9	Technician
ER34615M	Lithium thionyl chloride (Cylindrical)	50	3.9	Technician
LF14505	Lithium/sulfur dioxide	200	2.0	User

Model No.	Secondary Type^[d]	Max Charging Current (Ic), mA	Max Charging Voltage, V dc^[e]	Test Compliance^[f]
LIR14430	Lithium ion	650	4.6	3
LIR14470	Lithium ion	700	4.6	3
LIR14500	Lithium ion	750	4.6	3
LIR14650	Lithium ion	1050	4.6	3
LIR1620	Lithium ion (Coin)	18	4.6	3
LIR17335, LIR123A	Lithium ion	650	4.6	3
LIR17500	Lithium ion	1000	4.6	3
LIR17650	Lithium ion	1550	4.6	3
LIR18500	Lithium ion	1400	4.6	3
LIR18650	Lithium ion	1800	4.6	3
LIR18650H	Lithium ion	2000	4.6	3
LIR2016	Lithium ion (Coin)	30	4.6	3
LIR2025	Lithium ion (Coin)	50	4.6	3
LIR2032	Lithium ion (Coin)	60	4.6	3
LIR2430	Lithium ion (Coin)	90	4.6	3
LIR2450	Lithium ion (Coin)	160	4.6	3

LIR2477	Lithium ion (Coin)	300	4.6	3
LIR501225	Lithium ion	100	4.6	3
LIR503040	Lithium ion	560	4.6	3
LP041235	Lithium ion	100	4.6	3
LP042030	Lithium ion	160	4.6	3
LP042535	Lithium ion	320	4.6	3
LP052030	Lithium ion	240	4.6	3
LP053048	Lithium ion	700	4.6	3
LP053759	Lithium ion	1000	4.6	3
LP063048	Lithium ion	850	4.6	3
LP063450	Lithium ion	1000	4.6	3
LP1003450	Lithium ion	3700	4.5	2, 3, 4
LP102750	Lithium ion	1400	4.2	1
LP103395	Lithium ion	3700	4.2	1
LP103450	Lithium ion	1850	4.2	1
LP103454	Lithium ion (Pouch)	1800	4.2	1
LP104765	Lithium ion (Pouch)	3300	4.2	1
LP104768	Lithium ion (Pouch)	3300	4.2	1
LP105253	Lithium ion	2700	4.6	3
LP106053	Lithium ion (Pouch)	3200	4.2	1
LP1088130F	Lithium ion (Pouch)	9000	3.65	1
LP13120215	Lithium ion (Pouch)	25000	3.65	1
LP201215	Lithium ion	17	4.2	1
LP202235	Lithium ion (Pouch)	60	4.2	1
LP204261	Lithium ion (Pouch)	310	4.2	1
LP221820	Lithium ion (Pouch)	35	4.2	1
LP222036	Lithium ion (Pouch)	120	4.2	1
LP243454	Lithium ion (Pouch)	330	4.2	1
LP254060	Lithium ion (Pouch)	500	4.2	1
LP283040	Lithium ion (Pouch)	235	4.2	1

LP293450	Lithium ion (Pouch)	420	4.2	1
LP301730	Lithium ion (Pouch)	100	4.2	1
LP301745	Lithium ion (Pouch)	160	4.2	1
LP305590	Lithium ion	1200	4.6	3
LP305884	Lithium ion (Pouch)	1400	4.2	1
LP311620	Lithium ion	50	4.2	1
LP3139129	Lithium ion (Pouch)	2100	4.2	1
LP322331	Lithium ion (Pouch)	150	4.2	1
LP323450	Lithium ion (Pouch)	580	4.2	1
LP325698TB	Lithium ion	1900	4.2	1
LP331730	Lithium ion (Pouch)	100	4.2	1
LP334254	Lithium ion (Pouch)	750	4.2	1
LP335068	Lithium ion (Pouch)	1000	4.2	1
LP351063	Lithium ion (Pouch)	150	4.2	1
LP351624	Lithium ion	90	4.6	3
LP354261	Lithium ion	900	4.2	1
LP3563108	Lithium ion (Pouch)	2550	4.2	1
LP372431	Lithium ion	240	4.6	3
LP38103122	Lithium ion	4000	4.5	2, 3, 4
LP383048	Lithium ion (Pouch)	470	4.2	1
LP383450	Lithium ion	600	4.6	3
LP383454	Lithium ion	1500	4.5	3
LP383555	Lithium ion	680	4.6	3
LP383560	Lithium ion	850	4.2	1
LP383562	Lithium ion	780	4.6	3
LP384765	Lithium ion	1150	4.2	1
LP385085	Lithium ion	2700	4.5	3
LP385590	Lithium ion (Pouch)	1700	4.2	1
LP393495	Lithium ion (Pouch)	1130	4.2	1
LP401230	Lithium ion (Pouch)	95	4.2	1

LP401429	Lithium ion	120	4.6	3
LP401730	Lithium ion (Pouch)	140	4.2	1
LP401745	Lithium ion (Pouch)	240	4.2	1
LP401842	Lithium ion	250	4.6	3
LP402019	Lithium ion	100	4.6	3
LP402035	Lithium ion (Pouch)	200	4.2	1
LP402036	Lithium ion	220	4.6	3
LP402060	Lithium ion	420	4.6	3
LP402246	Lithium ion	350	4.6	3
LP403040	Lithium ion (Pouch)	385	4.2	1
LP403048	Lithium ion (Pouch)	500	4.2	1
LP403448	Lithium ion (Pouch)	560	4.2	1
LP404261	Lithium ion (Pouch)	1000	4.2	1
LP404570	Lithium ion	1200	4.6	3
LP405085	Lithium ion	1500	4.6	3
LP406167	Lithium ion (Pouch)	1500	4.2	1
LP4139129	Lithium ion (Pouch)	2200	4.2	1
LP422025	Lithium ion	180	4.6	3
LP422726	Lithium ion (Pouch)	220	4.2	1
LP423742	Lithium ion	620	4.6	3
LP424545	Lithium ion (Pouch)	730	4.2	1
LP4248130	Lithium ion	2500	4.6	3
LP4325139	Lithium ion (Pouch)	1500	4.2	1
LP435464	Lithium ion	1650	4.2	1
LP443441	Lithium ion (Pouch)	520	4.2	1
LP451124	Lithium ion (Pouch)	65	4.2	1
LP451225	Lithium ion	100	4.6	3
LP451230	Lithium ion (Pouch)	100	4.2	1
LP451418	Lithium ion (Pouch)	55	4.2	1
LP451630	Lithium ion (Pouch)	140	4.2	1

LP452030	Lithium ion (Pouch)	220	4.2	1
LP452050	Lithium ion (Pouch)	350	4.2	1
LP452235	Lithium ion (Pouch)	280	4.2	1
LP452728	Lithium ion (Pouch)	260	4.2	1
LP453048	Lithium ion (Pouch)	560	4.2	1
LP453436	Lithium ion	520	4.6	3
LP457070	Lithium ion	2000	4.6	3
LP461845	Lithium ion (Pouch)	280	4.2	1
LP463740	Lithium ion (Pouch)	680	4.2	1
LP4735135	Lithium ion (Pouch)	2400	4.2	1
LP473870	Lithium ion (Pouch)	1300	4.2	1
LP482648	Lithium ion	560	4.6	3
LP483450	Lithium ion	700	4.6	3
LP483560	Lithium ion	1000	4.6	3
LP485085	Lithium ion (Pouch)	1800	4.2	1
LP494041	Lithium ion (Pouch)	700	4.2	1
LP501230	Lithium ion	130	4.6	3
LP501235	Lithium ion	150	4.6	3
LP501417	Lithium ion (Pouch)	50	4.2	1
LP501429	Lithium ion	150	4.6	3
LP501842	Lithium ion	320	4.6	3
LP502019	Lithium ion	130	4.6	3
LP502025	Lithium ion	130	4.6	3
LP502030	Lithium ion	250	4.2	1
LP502036	Lithium ion (Pouch)	310	4.2	1
LP502235	Lithium ion (Pouch)	280	4.2	1
LP502333	Lithium ion (Pouch)	400	4.2	1
LP502535	Lithium ion	400	4.6	3
LP503448	Lithium ion (Pouch)	620	4.2	1
LP503450	Lithium ion (Pouch)	760	4.2	1

LP503465	Lithium ion	1000	4.6	3
LP503562	Lithium ion (Pouch)	950	4.2	1
LP503680	Lithium ion	1400	4.6	3
LP503754	Lithium ion	1050	4.2	1
LP503759	Lithium ion	2400	4.5	2, 3, 4
LP503870	Lithium ion (Pouch)	1350	4.2	1
LP504261	Lithium ion (Pouch)	1200	4.2	1
LP504368	Lithium ion (Pouch)	1350	4.2	1
LP504785	Lithium ion (Pouch)	2000	4.2	1
LP505067	Lithium ion	3700	4.5	2, 3, 4
LP505070	Lithium ion	1700	4.6	3
LP505080	Lithium ion	2000	4.6	3
LP505085	Lithium ion	1900	4.6	3
LP505085H	Lithium ion (Pouch)	2300	4.2	1
LP505464	Lithium ion	1800	4.2	1
LP505590	Lithium ion (Pouch)	2700	4.2	1
LP505597	Lithium ion	3200	4.2	1
LP5058110	Lithium ion (Pouch)	2800	4.2	1
LP506877	Lithium ion (Pouch)	2500	4.2	1
LP507062	Lithium ion	4400	4.5	2, 3, 4
LP513446	Lithium ion (Pouch)	700	4.2	1
LP521957	Lithium ion	500	4.2	1
LP523450	Lithium ion	900	4.2	1
LP523466	Lithium ion	1200	4.2	1
LP524261	Lithium ion (Pouch)	1500	4.2	1
LP524558	Lithium ion	1450	4.2	1
LP526495	Lithium ion (Pouch)	3300	4.2	1
LP5267220F	Lithium ion (Pouch)	6000	3.65	1
LP532248	Lithium ion	520	4.6	3
LP533450	Lithium ion (Pouch)	800	4.2	1

LP542730	Lithium ion (Pouch)	380	4.2	1
LP545590	Lithium ion (Pouch)	2700	4.2	1
LP55103122	Lithium ion	6600	4.2	1
LP551225	Lithium ion (Pouch)	110	4.2	1
LP551235	Lithium ion	180	4.6	3
LP551417	Lithium ion (Pouch)	60	4.2	1
LP551780	Lithium ion (Pouch)	750	4.2	1
LP551830	Lithium ion	260	4.2	1
LP552025	Lithium ion (Pouch)	170	4.2	1
LP552036	Lithium ion	700	4.5	3
LP552530	Lithium ion	380	4.6	3
LP552780	Lithium ion (Pouch)	1100	4.2	1
LP553043	Lithium ion (Pouch)	700	4.2	1
LP553250	Lithium ion	2000	4.5	1
LP553436	Lithium ion	650	4.6	3
LP553452	Lithium ion (Pouch)	900	4.2	1
LP553454	Lithium ion	1050	4.2	1
LP555255	Lithium ion (Pouch)	1600	4.2	1
LP555376	Lithium ion	2200	4.6	3
LP562438	Lithium ion (Pouch)	500	4.2	1
LP572060	Lithium ion	620	4.6	3
LP572436	Lithium ion	450	4.2	1
LP572454	Lithium ion	750	4.2	1
LP573026	Lithium ion (Pouch)	420	4.2	1
LP573560	Lithium ion (Pouch)	1200	4.2	1
LP576167	Lithium ion (Pouch)	2500	4.2	1
LP583560	Lithium ion	1200	4.6	3
LP583759	Lithium ion (Pouch)	1150	4.2	1
LP584374F	Lithium ion (Pouch)	1200	3.65	1
LP60100100F	Lithium ion (Pouch)	5000	3.65	1

LP601148	Lithium ion	250	4.6	3
LP601235	Lithium ion	320	4.5	3
LP601622	Lithium ion (Pouch)	150	4.2	1
LP601636	Lithium ion	320	4.2	1
LP601730	Lithium ion (Pouch)	240	4.2	1
LP602036	Lithium ion	350	4.6	3
LP602248	Lithium ion (Pouch)	540	4.2	1
LP602431	Lithium ion (Pouch)	340	4.2	1
LP602540	Lithium ion	520	4.6	3
LP602730	Lithium ion (Pouch)	350	4.2	1
LP603026	Lithium ion (Pouch)	420	4.2	1
LP603030	Lithium ion (Pouch)	480	4.2	1
LP603048	Lithium ion	900	4.2	1
LP603440	Lithium ion (Pouch)	650	4.2	1
LP603446	Lithium ion (Pouch)	900	4.2	1
LP603448	Lithium ion (Pouch)	1050	4.2	1
LP603449	Lithium ion (Pouch)	1000	4.2	1
LP603465	Lithium ion	1000	4.6	3
LP603466	Lithium ion (Pouch)	1400	4.2	1
LP603560	Lithium ion (Pouch)	1350	4.2	1
LP603759	Lithium ion	1300	4.6	3
LP604040	Lithium ion (Pouch)	1700	4.2	1
LP604765	Lithium ion (Pouch)	1800	4.2	1
LP605575	Lithium ion (Pouch)	2750	4.2	1
LP605590	Lithium ion (Pouch)	2800	4.2	1
LP606080	Lithium ion	2700	4.6	3
LP61100100	Lithium ion (Pouch)	6800	4.2	1
LP613938	Lithium ion (Pouch)	750	4.2	1
LP622248	Lithium ion (Pouch)	650	4.2	1
LP623042	Lithium ion (Pouch)	700	4.2	1

LP624261	Lithium ion (Pouch)	950	4.2	1
LP642431	Lithium ion (Pouch)	420	4.2	1
LP651221	Lithium ion	90	4.6	3
LP652438	Lithium ion (Pouch)	440	4.2	1
LP652730	Lithium ion (Pouch)	500	4.2	1
LP653042	Lithium ion (Pouch)	740	4.2	1
LP654388	Lithium ion (Pouch)	2500	4.2	1
LP6545131	Lithium ion	3300	4.6	3
LP6548166	Lithium ion	5000	4.5	2, 3, 4
LP656194	Lithium ion (Pouch)	3900	4.2	1
LP675776	Lithium ion (Pouch)	3000	4.2	1
LP683440	Lithium ion (Pouch)	850	4.2	1
LP6848166	Lithium ion (Pouch)	5500	4.2	1
LP70103122	Lithium ion	4500	4.5	2, 3, 4
LP70103122F	Lithium ion (Pouch)	6500	3.65	1
LP701322	Lithium ion (Pouch)	120	4.2	1
LP703048	Lithium ion	1600	4.5	1
LP703450	Lithium ion (Pouch)	1250	4.2	1
LP703480	Lithium ion (Pouch)	1800	4.2	1
LP703560	Lithium ion (Pouch)	1600	4.2	1
LP704374	Lithium ion (Pouch)	2350	4.2	1
LP7044125	Lithium ion (Pouch)	4200	4.2	1
LP7045122	Lithium ion (Pouch)	4200	4.2	1
LP704765	Lithium ion (Pouch)	2400	4.2	1
LP705085	Lithium ion (Pouch)	3100	4.2	1
LP7053140F	Lithium ion (Pouch)	3200	3.65	1
LP723480	Lithium ion (Pouch)	1800	4.2	1
LP752426	Lithium ion (Pouch)	380	4.2	1
LP752438	Lithium ion (Pouch)	580	4.2	1
LP753040	Lithium ion	850	4.6	3

LP753048HA	Lithium ion (Pouch)	950	4.2	1
LP753450	Lithium ion (Pouch)	1300	4.2	1
LP754261	Lithium ion (Pouch)	1900	4.2	1
LP7545135	Lithium ion	4000	4.5	2, 3, 4
LP7548166	Lithium ion (Pouch)	6150	4.2	1
LP7568130F	Lithium ion (Pouch)	5000	3.65	1
LP772435	Lithium ion (Pouch)	630	4.2	1
LP782426	Lithium ion (Pouch)	350	4.2	1
LP785085	Lithium ion (Pouch)	3600	4.2	1
LP7851119	Lithium ion (Pouch)	3700	3.65	1
LP7851119F	Lithium ion (Pouch)	3700	3.65	1
LP802245	Lithium ion	800	4.2	1
LP802245TB	Lithium ion (Pouch)	800	4.2	1
LP803048	Lithium ion	1200	4.6	3
LP803090	Lithium ion (Pouch)	2200	4.2	1
LP803434	Lithium ion	880	4.2	1
LP803448	Lithium ion (Pouch)	1200	4.2	1
LP803450	Lithium ion (Pouch)	1200	4.2	1
LP803466	Lithium ion (Pouch)	1600	4.2	1
LP804050	Lithium ion (Pouch)	1400	4.2	1
LP804368	Lithium ion (Pouch)	2400	4.2	1
LP804374	Lithium ion (Pouch)	2400	4.2	1
LP804765	Lithium ion (Pouch)	2300	4.2	1
LP8048166	Lithium ion (Pouch)	7000	4.2	1
LP8051109	Lithium ion (Pouch)	5400	4.2	1
LP822245	Lithium ion (Pouch)	500	4.2	1
LP82294	Lithium ion	1600	4.6	3
LP827062	Lithium ion (Pouch)	3700	4.2	1
LP834368	Lithium ion (Pouch)	2400	4.2	1
LP852040	Lithium ion (Pouch)	500	4.2	1

LP853250	Lithium ion (Pouch)	1250	4.2	1
LP853259	Lithium ion (Pouch)	1300	4.2	1
LP853450	Lithium ion	1500	4.6	3
LP853496	Lithium ion	2000	4.5	1
LP8545135	Lithium ion (Pouch)	5600	4.2	1
LP854572	Lithium ion (Pouch)	2400	4.2	1
LP855085	Lithium ion	3900	4.2	1
LP857062	Lithium ion (Pouch)	3700	4.2	1
LP883048	Lithium ion (Pouch)	1050	4.2	1
LP883090	Lithium ion (Pouch)	2400	4.2	1
LP883650	Lithium ion (Pouch)	1400	4.2	1
LP884765	Lithium ion (Pouch)	2200	4.2	1
LP8848166	Lithium ion (Pouch)	7500	4.2	1
LP8867220	Lithium ion	10000	4.5	2, 3, 4
LP8867220F	Lithium ion (Pouch)	10000	3.65	1
LP90100160F	Lithium ion (Pouch)	10000	3.65	1
LP903042	Lithium ion (Pouch)	1100	4.2	1
LP903395F	Lithium ion (Pouch)	1800	3.65	1
LP903759	Lithium ion	2200	4.2	1
LP904374F	Lithium ion (Pouch)	2200	3.65	1
LP9051109	Lithium ion (Pouch)	5000	4.2	1
LP9051119F	Lithium ion (Pouch)	4500	3.65	1
LP9085115F	Lithium ion (Pouch)	7000	3.65	1
LP925572	Lithium ion	4000	4.2	1
LP953450	Lithium ion (Pouch)	1400	4.2	1
LP9551119	Lithium ion (Pouch)	6200	4.2	1
LP9590120F	Lithium ion (Pouch)	8000	3.65	1
LP963450	Lithium ion (Pouch)	1400	4.2	1

[a] These cells and batteries are not rechargeable. The circuit containing these cells or batteries is to contain a protective component that prevents charging. The circuitry is to include a current-limiting component intended to protect the cell or battery, in the event the protective component malfunctions, from a charging current in excess of the maximum abnormal charging current indicated.

[b] User - These primary cells and batteries are intended for use in applications subject to replacement by a user.

[c] Technician - These primary cells and batteries are intended for use in applications subject to replacement only by a trained service technician.

[d] These cells and batteries are rechargeable. The circuitry containing these cells or batteries is to contain protective components intended to protect the cells or batteries from currents in excess of the maximum charging current and voltage indicated.

[e] The Max Charging Voltage noted in the column is the maximum voltage employed during the abnormal charging test of the secondary lithium ion cell. However, the maximum recommended charging voltage for lithium ion cells is 4.2 V, unless indicated otherwise.

[f] Test Compliance - The cells comply with the tests in UL 1642 as noted:

1 - Complies with all single-cell tests

2 - Complies with all single-cell tests except the impact test

3 - Complies with all single-cell tests except the projectile test

4 - Complies with all single-cell tests except the crush test

* - Cells may have various insulating tube, ring, or tape. And also these cells and batteries may come with an optional single or multiple alphanumeric suffix denoting various pin, tab, cap or wire termination types.

Marking: Company name or trademark  , Recognized Component Mark,  on the cell or smallest shipping package containing the cell.

Last Updated on 2018-09-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"