UL Product iQ™



BBCV2.MH46165 - LITHIUM BATTERIES - COMPONENT

Lithium Batteries - Component

See General Information for Lithium Batteries - Component

WUHAN FANSO TECHNOLOGY CO LTD

MH46165

Sitai Industrial Park Yongfeng Avenue Hanyang District Wuhan, Hubei 430051 CHINA

Model No.	Primary Type ^[a]	Max Abnormal Charging Current mA	Max Abnormal Charging Voltage, V dc	Replacement
CP1003742	(Prismatic)	20	5	Technician
CP1004560	(Prismatic)	25	5	Technician
CP1005050	(Prismatic)	25	5	Technician
CP153030	Lithium/manganese dioxide (Prismatic)	6	5	Technician
CP153030	(Prismatic)	6	5	Technician
CP203047	(Prismatic)	5	5	Technician
CP22245	Lithium/manganese dioxide (Prismatic)	25	5	Technician
CP223830	(Prismatic)	5	5	Technician
CP224147	Lithium/manganese dioxide (Prismatic)	15	5	Technician
CP224147	(Prismatic)	15	5	Technician
CP303047	(Prismatic)	20	5	Technician
CP305050	Lithium/manganese dioxide (Prismatic)	25	5	Technician
CP332445	Lithium/manganese dioxide (Prismatic)	15	5	Technician
CP332445	(Prismatic)	15	5	Technician
CP352440	(Prismatic)	10	5	Technician
CP352751	Lithium/manganese dioxide (Prismatic)	20	5	Technician

CP372525	Lithium/manganese dioxide (Prismatic)	9	5	Technician
CP372525	(Prismatic)	9	5	Technician
CP383047	Lithium/manganese dioxide (Prismatic)	25	5	Technician
CP383455	Lithium/manganese dioxide (Prismatic)	25	5	Technician
CP403838	Lithium/manganese dioxide (Prismatic)	30	5	Technician
CP403838	(Prismatic)	30	5	Technician
CP405050	Lithium/manganese dioxide (Prismatic)	30	5	Technician
CP405050	(Prismatic)	30	5	Technician
CP411232	(Prismatic)	5	5	Technician
CP502025	Lithium/manganese dioxide (Prismatic)	9	5	Technician
CP502025	(Prismatic)	9	5	Technician
CP502425	Lithium/manganese dioxide (Prismatic)	12	5	Technician
CP502425	(Prismatic)	12	5	Technician
CP502432	Lithium/manganese dioxide (Prismatic)	15	5	Technician
CP502432	(Prismatic)	15	5	Technician
CP502440	Lithium/manganese dioxide (Prismatic)	20	5	Technician
CP502537	Lithium/manganese dioxide (Prismatic)	18	5	Technician
CP502537	(Prismatic)	18	5	Technician
CP503448	(Prismatic)	25	5	Technician
CP504644	(Prismatic)	20	5	Technician
CP505050	Lithium/manganese dioxide (Prismatic)	45	5	Technician
CP505050	(Prismatic)	45	5	Technician
CP553536	Lithium/manganese dioxide (Prismatic)	24	5	Technician
CP553536	(Prismatic)	24	5	Technician

CP603448	(Prismatic)	20	5	Technician
CP632430	Lithium/manganese dioxide (Prismatic)	18	5	Technician
CP632430	(Prismatic)	18	5	Technician
CP702440	(Prismatic)	20	5	Technician
CP752425	(Prismatic)	10	5	Technician
CP803665	(Prismatic)	25	5	Technician
CP805050	(Prismatic)	25	5	Technician
CP902425	Lithium/manganese dioxide (Prismatic)	24	5	Technician
CP902425	(Prismatic)	24	5	Technician
CP952430	Lithium/manganese dioxide (Prismatic)	24	5	Technician
CP952430	(Prismatic)	24	5	Technician
CR10450E	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR14250E	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR14250H	Lithium/manganese dioxide (Cylindrical)	5	5	User
CR14335E	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR14505E	Lithium/manganese dioxide (Cylindrical)	15	5	Technician
CR14505H	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR1620	Lithium/manganese dioxide (Coin)	5	5	Technician
CR16670E	Lithium/manganese dioxide (Cylindrical)	15	5	Technician
CR17335E, CR123A	Lithium/manganese dioxide (Cylindrical)	15	5	Technician
CR17335H	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR17450E	Lithium/manganese dioxide (Cylindrical)	15	5	Technician

3 z 6

CR17505E	Lithium/manganese dioxide (Cylindrical)	15	5	Technician
CR17505H	Lithium/manganese dioxide (Cylindrical)	5	5	Technician
CR18505E	Lithium/manganese dioxide (Cylindrical)	20	5	Technician
CR2	Lithium/manganese dioxide (Cylindrical)	10	5	Technician
CR2016	Lithium/manganese dioxide (Coin)	5	5	Technician
CR2025	Lithium/manganese dioxide (Coin)	5	5	Technician
CR2032	Lithium/manganese dioxide (Coin)	5	5	Technician
CR2430	Lithium/manganese dioxide (Coin)	5	5	Technician
CR2450	Lithium/manganese dioxide (Coin)	10	5	Technician
CR2477	Lithium/manganese dioxide (Coin)	10	5	User
CR26500E	Lithium/manganese dioxide (Cylindrical)	25	5	Technician
CR34615E	Lithium/manganese dioxide (Cylindrical)	25	5	Technician
EF651615	Lithium thionyl chloride (Prismatic)	5	4	Technician
EF651625	Lithium thionyl chloride (Prismatic)	5	4	Technician
EF752338	Lithium thionyl chloride (Prismatic)	5	4	Technician
ER10450	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER13150	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14250H	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14250M	Lithium thionyl chloride (Cylindrical)	5	4	Technician

ER14250S	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14335H	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14505H	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14505M	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER14505S	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER17505H	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER17505M	Lithium thionyl chloride (Cylindrical)	5	4	Technician
ER18505H	Lithium thionyl chloride (Cylindrical)	10	4	Technician
ER18505M	Lithium thionyl chloride (Cylindrical)	10	4	Technician
ER22G68	Lithium thionyl chloride (Coin)	5	4	Technician
ER2450	Lithium thionyl chloride (Coin)	5	4	Technician
ER251000S	Lithium thionyl chloride (Cylindrical)	15	4	Technician
ER25500S	Lithium thionyl chloride (Cylindrical)	10	4	Technician
ER26500H	Lithium thionyl chloride (Cylindrical)	15	4	Technician
ER26500M	Lithium thionyl chloride (Cylindrical)	15	4	Technician
ER33065	Lithium thionyl chloride (Coin)	5	4	Technician
ER33100	Lithium thionyl chloride (Coin)	5	4	Technician
ER341245	Lithium thionyl chloride (Cylindrical)	25	4	Technician
ER341245S	Lithium thionyl chloride (Cylindrical)	25	4	Technician
ER34615H	Lithium thionyl chloride (Cylindrical)	15	4	Technician
ER34615M	Lithium thionyl chloride (Cylindrical)	25	4	Technician

ER34615S Lithium thionyl chloride (Cylindrical)	15	4	Technician
---	----	---	------------

[a] These cells and batteries are not rechargeable. The circuit containing these cells or batteries is to contain a protective component that prevents charging. The circuitry is to include a current-limiting component intended to protect the cell or battery, in the event the protective component malfunctions, from a charging current in excess of the maximum abnormal charging current indicated.

[b] User - These primary cells and batteries are intended for use in applications subject to replacement by a user.

[c] Technician - These primary cells and batteries are intended for use in applications subject to replacement only by a trained service technician.

Marking: Company name, Recognized Component Mark, on the cell or smallest shipping package containing the cell.

Last Updated on 2019-04-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"