



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

SEE NOTE II LEAD FREE OPTION B 2 2 2 2 2 2 2 2 2 2 2 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 A 3 3 3 3 3 3 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 ROW 70234-X14 4 4 C 3 SEE NOTE II LEAD FREE OPTION B 3 4 4 4 4 4

2 2 2 2

3

mat'l code tolerances unless A CUSTOMER otherwise specified FCI www.fciconnect.com ecn no. dr date 0.X ±0.3 COPY ΑE projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 4 MOD, 4 ROW PRESS-FIT 0° ±2° angles METRAL T.BRUNGARD 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70234 sheet chr baap M.STRAWSER 02/29/00 sheet revision index sheet

3 l

STATUS: Released

cage code

22526

Printed: May 19, 2005

4

В

4

Α

1 2

1 | 2

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

MOD. 2

MOD. 2

3 3

MOD. 2

2 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 2 2 2 2

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

MOD. 3

2 2

3 3

MOD. 3

MOD. 3

MOD. 3

| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 2 2 2 2 2 2 2 2 2 2 2

MOD. 4

MOD. 4

MOD. 4

MOD. 4

2 2 2 2 2 2 2 2 2 2 2 2 2 2

CONTACT CODE

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

MOD

D 3 3 3 3 3

c | 2 | 2 | 2 | 2 | 2

MOD

2 2

MOD

ROW

D

В

С

В

D

В

METRAL

P/N

70234-XI0

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-XII

SEE NOTE II LEAD FREE OPTION

METRAL

P/N

70234-X12

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-XI3

PDM: Rev:AE

SEE NOTE II All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

Α

В

OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X24 8 8 8 8 8 8 8 8 | 7 | 7 | 7 | 7 | 7 SEE NOTE II С LEAD FREE В 7 7 7 8

1 | 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

5 5 5 5

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

MOD. 2

MOD. 2

MOD. 2

6 6

5 5

5 5 5 5 5

MOD. 3

6 6

MOD. 3

MOD. 3

MOD. 3

5 5 5 5 5 5 5 5 5 5 5 5 5

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 4

MOD. 4

MOD. 4

MOD. 4

| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

CONTACT CODE

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

C | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

MOD

D 7 7

В

MOD

B | 5 | 5 | 5 | 5

C | 5 | 5 | 5 | 5 | 5

6 6

6 6 6

MOD

ROW

D

В

D

METRAL

P/N

70234-X20

SEE NOTE II

OPTION

METRAL

P/N

70234-X21

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X22

SEE NOTE II

OPTION

METRAL

P/N

70234-X23

LEAD FREE

3

mat 'I	code					tolerances unless otherwise specified						STOM	ER			\						
ltr	Itr ecn no. dr date						0.X ±0.3					COPY			F	CI		www.fciconnect.com				
ΑE					linear	0.XX ±0.13				projection title			itle METRAL SIGNAL HEADER									
						.XXX ±.051																
						angles		0°	0° ±2°						4 19	ω,	4 ROW PRESS-FIT					
						dr	T.BRU	INGARD	11/19/99		MM			product family					METRAL code			
						engr	M.STR	AWSER	11/19/99				size	dwg	wg no				213			
						chr	M.STRAWSER		11/19/99		scale		_	70234					sheet			
						appd	M.STRAWSER 02/29/00		1:1			A		, ,	JL	7 7			4			
she	sheet revision		ion																			
ind	index sheet																					
Pro/E												3			cag	e code	2	252	9		4	

PDM: Rev:AE

STATUS: Released

Printed: May 19, 2005

22526

В

4

Α

1 2

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

70234-X33 EE NOTE II LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X34 SEE NOTE II LEAD FREE OPTION

1 | 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

MOD. 2

9 | 9 | 9

9 9

MOD. 2

9 9

MOD. 2

9 9 9

9 9 9 9 9 9

9 9

MOD. 3

MOD. 3

MOD. 3

MOD. 3

| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

9 9 9 9 9 9 9 9 9 9 9 9 9

9 9 9 9 9 9 9 9 9 9 9 9 9

MOD. 4

MOD. 4

MOD. 4

MOD. 4

CONTACT CODE

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

MOD

MOD

B | 9 | 9 | 9 | 9 | 9

MOD

ROW

D

С

В

C 9 9

D

METRAL

P/N

70234-X30

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X31

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X32

SEE NOTE II LEAD FREE

OPTION

METRAL

P/N

3

mat 'I	code					tolerances unless otherwise specified						CUSTOMER				\						
ltr	ecn	no.	dr	dat	е			0.X:	±0.3		1	COPY			F	CI	www.fciconnect.com					
ΑE						linear		0.XX ±0.13 .XXX ±.051 0° ±2°			project	tion	on title			title METRAL SIGNAL HEADER						
											+ - - - - - - - - - -						4 ROW PRESS-FIT					
						angles									.							
						dr	T.BRU	NGARD	11/19/99		⊣ Ι ۷ΙΙ ν Ι			produ	ct fam	nily		METRAL code				
						engr	M.STR	.STRAWSER 1 1 1 9 9		9/99				size	1 3					2	3	
						chr	M.STRAWSER		R		scale			70234					sheet			
						appd	M.STR	AWSER	02/2	9/00		1:1		Α		, ,	JL) 1		į	5	
she	eet	<u> </u>																				
ind	ex																					
111dOX 3.100.			Pr	o/E							3			cag	e code	2	252	6	•	4		

PDM: Rev:AE

STATUS: Released

Printed: May 19, 2005

В

4

Α

1 2

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

LEAD FREE OPTION 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 B 3 3 3 3 3 3 3 3 A 3 3 3 3 3 3 3 3 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N | 9 | 10 | 1 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | ROW 2 2 2 70234-X44 C 3 SEE NOTE II LEAD FREE OPTION 3 3 3 3 3 3 3 3

1 | 2

2 2 2 2 2

2 2 2 2 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 | 2 | 2 | 2 | 2 | 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 2

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

| 2 | 2 | 2 | 2 | 2 | 2 | 2

2 2 2 2 2 2 2

2 2 2 2 2 2

MOD. 2

MOD. 2

MOD. 2

3 3 3 3 3 3

MOD. 3

2 2

MOD. 3

| 9 | 10 | 1 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 2 2

MOD. 3

| 2 | 2 | 2 |

MOD. 3

2 2 2 2 2 2 2 2 2

2 2 2 2 2 2 2 2 2 2 2 2 2

MOD. 4

MOD. 4

MOD. 4

MOD. 4

CONTACT CODE

2 2

2 2

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

MOD

c |3|3|3|3|3

MOD

B 2 2 2 2 2 2

MOD

METRAL

P/N

70234-X40

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-X41

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X42

SEE NOTE II

OPTION

METRAL

P/N

70234-X43

EE NOTE II

D

В

C

В

3

mat'l code tolerances unless A CUSTOMER otherwise specified FCI www.fciconnect.com ecn no. dr date 0.X ±0.3 COPY ΑE projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 4 MOD, 4 ROW PRESS-FIT 0° ±2° angles METRAL T.BRUNGARD 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70234 sheet chr M.STRAWSER 02/29/00 appd sheet revision index sheet cage code

3 l

PDM: Rev:AE

STATUS: Released

Printed: May 19, 2005

4

22526

В

4

Α

1 2

70234-X53 SEE NOTE II All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

LEAD FREE В OPTION A | 7 | 7 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 ROW 70234-X54 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 С SEE NOTE I LEAD FREE |8|8|8|8|8|8|8|8|8|8|8|8|8|8 OPTION

3

mat'l code tolerances unless A CUSTOMER otherwise specified FCI www.fciconnect.com ecn no. dr date 0.X ±0.3 COPY ΑE projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 4 MOD. 4 ROW PRESS-FIT 0° ±2° angles METRAL T.BRUNGARD 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70234 sheet chr M.STRAWSER 02/29/00 appd sheet revision index sheet cage code

3 l

Pro/E

STATUS: Released

Printed: May 19, 2005

4

22526

В

4

Α

1 2

1 | 2

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

MOD. 2

6 6

6 6

MOD. 2

6 6

MOD. 2

5 5 5 5 5

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

5 | 5 | 5 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

6 6 6 6 6

MOD. 3

6 6

6 6

MOD. 3

MOD. 3

MOD. 3

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5

MOD. 4

MOD. 4

MOD. 4

MOD. 4

CONTACT CODE

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

B | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |

CONTACT CODE

CONTACT CODE

MOD

c | 7 | 7

MOD

B | 5 | 5 | 5 | 5

6 6

MOD

METRAL

P/N

70234-X50

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-X51

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-X52

SEE NOTE II

OPTION

METRAL

P/N

D

В

C

PDM: Rev:AE

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI.

В

Α

70234-X63 SEE NOTE I LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N ROW 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X64 SEE NOTE I LEAD FREE OPTION

1 | 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

A lighted to light of the light

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 2

MOD. 2

MOD. 2

9 9

MOD. 2

9 9 9

9 9

MOD. 3

MOD. 3

MOD. 3

MOD. 3

9 9 9 9 9 9 9 9 9 9 9 9 9

MOD. 4

MOD. 4

MOD. 4

MOD. 4

CONTACT CODE

CONTACT CODE

CONTACT CODE

MOD

9 9 9 9 9

CONTACT CODE

MOD

MOD.

MOD

ROW

D

В

D

METRAL

P/N

70234-X60

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X61

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X62

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 ROW 70234-X65 SEE NOTE II LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N 1 2 3 4 5 6 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 ROW 70234-X66 SEE NOTE I LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 ROW 70234-X67 SEE NOTE II LEAD FREE OPTION В CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X68 SEE NOTE I LEAD FREE OPTION |21|21|21|21|21|21 CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N ROW 2 3 4 5 6 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 70234-X69 SEE NOTE II LEAD FREE В

3

mat'l code tolerances unless A CUSTOMER otherwise specified FCI www.fciconnect.com ecn no. dr date 0.X ±0.3 COPY ΑE projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 4 MOD, 4 ROW PRESS-FIT 0° ±2° angles METRAL T.BRUNGARD 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70234 sheet chr M. STRAWSER 02/29/00 8 appd sheet revision index sheet cage code

3

OPTION

PDM: Rev:AE

Printed: May 19, 2005

В

4

Α

1 2

Pro/E

STATUS: Released

4

22526

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

SEE NOTE II LEAD FREE B 2 OPTION 3 3 3 3 3 3 3 3 CONTACT CODE MOD. 2 MOD. 3 METRAL MOD. P/N ROW 1 2 3 4 5 6 7 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X74 2 2 2 2 2 2 2 2 C 3 SEE NOTE II LEAD FREE B 3

3 3

3 3 3

C 3 3 3 3 3 3 3 3 3 3 3 3 3

CONTACT CODE

2 2

2 2

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

MOD

D 2 2 2 2 2 2

MOD

c |3|3|3|3|3

MOD

ROW

D

В

В

D

C

METRAL

P/N

70234-X70

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-X71

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X72

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X73

3

mat 'I	code					tolerances unless						CHCTOMED										
						otherwise specified					CUSTOMER					オ						
Itr ecn no. dr date							0.X ±0.3				1	COPY	.OPY F (C www.fciconnect.com					
ΑE	AE					linear	0.XX ±0.13			projec	tion		title METRAL SIGN				MAI	NAI HEANED				
							.XXX ±.051															
						angles		0° :	±2°		7	ケュ		4 MOD, 4 ROW PRESS-FIT								
						dr	T.BRUNGARD		1171	11/19/99		- MM		produ	ict fam	nily		MET	RAL	code		
						engr	M.STRAWSER		SER 11/19		-	→		size						2	13	
					chr	M.STRAWSER		ER		scale	ale			70234 sh					she	et		
						appd	M.STR	AWSER	02/2	9/00		1:1		A		, ,	J L .) 1		9	9	
sh	sheet		on																			
ind	index sheet																					

3 |

PDM: Rev:AE

Pro/E

STATUS: Released

cage code

22526

Printed: May 19, 2005

В

4

Α

1 2

1 | 2

2 2

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

2 2 2

MOD. 3

MOD. 3

2 2 2

MOD. 3

4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

3 3 3 3 3 3 3 3 3 3 3 3 3

MOD. 2

2 2 2 2 2 2 2 2

| 2 | 2 | 2 | 2 | 2 | 2 | 2

MOD. 2

MOD. 2

2 2

MOD. 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

3 3 3 3 3

3 3 3 3

2 2 2 2

3 3 3 3

3 3 3 3 3

2 2

2 2

4 4 4 4 4 4 4 4 4

MOD. 3

MOD. 4

MOD. 4

MOD. 4

MOD. 4

MOD. 4

| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

3 3 3 3 3 3 3 3 3

2 2 2

2 2 2 2 2 2 2 2 2

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

Α

В

LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD P/N 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | ROW 70234-X84 6 6 | 7 | 7 | 7 | 7 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 C SEE NOTE II LEAD FREE В OPTION

1 | 2

5 5 5 5

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

MOD. 2

6 6 6 6 6 6 6 6

MOD. 2

5 5 5

MOD. 2

8 8 8

MOD. 2

MOD. 3

6 6

MOD. 3

MOD. 3

MOD. 3

8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

8 8 8 8 8 8 8 8 8 8 8 8 8 8

8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 4

MOD. 4

MOD. 4

MOD. 4

CONTACT CODE

6 6 6

CONTACT CODE

MOD.

B | 5 | 5 | 5 | 5 | 5

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7

CONTACT CODE

CONTACT CODE

MOD

D 6 6 6 6 6

C | 7 | 7

MOD

5 | 5 |

8 8

MOD

METRAL

P/N

70234-X80

SEE NOTE II

LEAD FREE

OPTION

METRAL

P/N

70234-X81

SEE NOTE II LEAD FREE

OPTION

METRAL

P/N

70234-X82

SEE NOTE II LEAD FREE OPTION

METRAL

P/N

70234-X83

D

В

С

3

mat'l code tolerances unless A CUSTOMER otherwise specified FCI www.fciconnect.com ecn no. dr date 0.X ±0.3 COPY ΑE projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 4 MOD. 4 ROW PRESS-FIT 0° ±2° angles METRAL T.BRUNGARD 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70234 sheet chr M.STRAWSER 02/29/00 10 appd sheet revision index sheet

3 l

PDM: Rev:AE

STATUS: Released

cage code

22526

Printed: May 19, 2005

4

В

4

Α

1 2

des tiers propietaire. Reproduction ou communication a s ce soit sans autorisation ecrite du reproduction FCI. Tous droits strictement reserves. interdite sous quelque forme que Propriete de c FCI. Droits de r

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

В

Α

LEAD FREE OPTION CONTACT CODE MOD. 2 MOD. 3 MOD. 4 METRAL MOD. P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 70234-X94 SEE NOTE II LEAD FREE OPTION

1 | 2

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

| 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 3

MOD. 3

MOD. 3

MOD. 3

| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |

MOD. 4

MOD. 4

MOD. 4

MOD. 4

MOD. 2

MOD. 2

MOD. 2

MOD. 2

CONTACT CODE

CONTACT CODE

MOD.

ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 |

CONTACT CODE

CONTACT CODE

MOD

MOD

MOD

ROW

D

С

В

METRAL

P/N

70234-X90

SEE NOTE I

LEAD FREE

OPTION

METRAL

P/N

70234-X91

SEE NOTE II

OPTION

METRAL

P/N

70234-X92

SEE NOTE II LEAD FREE

OPTION

METRAL

P/N

70234-X93

C

3

mat 'I	code					tolerances unless otherwise specified						STOM	MER 🛕									
ltr	Itr ecn no. dr date						0.X ±0.3				1	COPY			FCI www.fciconnect.com							
ΑE	E					linear	0.XX ±0.13			projection			title METRAL SIGNAL HEADER									
							. XXX ±.051															
						angles	0° ±2°							4 MOD, 4 ROW PRESS-FIT								
					dr	T.BRUNGARD		11/19/99			MM		produ	ict fam	nily		MET	RAL code				
						engr	M.STRAWSER		11/19/99		-	1 4 11 4 1	•	size	dwg no					2	13	
						chr	M.STRAWSER		STRAWSER		scale					70234				sheet		
				appd	M.STRAWSER		02/29/00			1:1		A		, ,	JL) 1			1			
she	heet revision																					
inc	index sheet																					
Pro/E												3			cag	e code	, 2	252	26		4	

PDM: Rev:AE

STATUS: Released

В

4

Α

1 2

Printed: May 19, 2005

22526

Α

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

В

PRODUCT NUMBER 70234-XYY 70234-XYYLF

1 | 2

1 2

NOTES:

I. FOR DIM A AND B SEE SHEET 2 AND UP.

2. BODY MATERIAL: LIQUID CRYSTAL

POLYMER 30 % GLASS.

FLAME RETARDANT ACC. UL 94-VO.

3. PIN MATERIAL:

PHOSPHOR BRONZE. PLATING ON PRESS-FIT TAIL: 70234 -XYY IS SnPb 70234-XYYLF IS SN (LEAD FREE) PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.

5. PRODUCT MARKING:

PART NUMBER DESIGNATION & BATCH I.D.

6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF

7. PRODUCT SPECIFICATION GS-12-180 APPLICATION SPECIFICATION BUS-20-073

(8) AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.

-A PLATING HAS AU FLASH IN PRESS FIT AREA (LEAD FREE).

THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 70234-X01LF

12. ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI---AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND AU CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat 'I	code					tolerances unless otherwise specified					CUSTOMER					\						
ltr	Itr ecn no. dr date						0.X ±0.3				1	COPY		FCI www.fciconnect.com								
ΑE	AE .					linear	0.XX ±0.13			projection title			title	AF TE	λΙ	SIG	ΝΔΙ	HE.	ADF	₹		
							.XXX ±.051							tille METRAL SIGNAL HEADER 4 MOD, 4 ROW PRESS-FI							ìт	
						angles	angles 0° ±2°						7	4 MOD, 4 NOW THESS THE								
				dr	T.BRUNGARD			MM			product family METRAL code											
						engr	ngr M.STRAWSER			R / 9/99		→ 		size	dwg	no				2	13	
						chr	M.STRAWSER		WSER		scale				70234 s					et		
	sheet revision			appd	M.STR	RAWSER	02/2	9/00		<u> </u>		Δ			<i>J L</i> \	- ۲			2			
she																						
inc	index sheet																					
Pro						E						3				e code	2	252	93		4	

3

PDM: Rev:AE

STATUS: Released Printed: May 19, 2005

В

Α