



Product Service

CERTIFICATE

No. Z1A 14 03 82949 020

Holder of Certificate: **GBT GmbH**

An Gut Nazareth 18 a, 52353, Düren, GERMANY

Certification Mark:

Product: **LED Lamps**Tested
according to:EN 62560:2012
EN 62471:2008
EN 62493:2010
ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 704021346301-04

Valid until: 2019-03-04



Date, 2014-03-05


(Binwen Zhang)

Page 1 of 5



Product Service

CERTIFICATE**No. Z1A 14 03 82949 020****Model(s):**

R63-S 6W E27, R63-S 6W B22, R63-S 10W E27, R63-S 10W B22, R63-P E27 6W, R63-P B22 6W, R63-P E27 10W, R63-P B22 10W, R63-S E27 6W, R63-S B22 6W, R63-S E27 10W, R63-S B22 10W, A55-P 5W E27, A55-P 5W B22, A55-P 6W E27, A55-P 6W B22, A55-P 4W E27, A55-P 4W B22, GU10-S 4W, GU10-S 5W, GU10-S 4W, GU10-S 5W, GU10-P 4W 36D, GU10-P 5W 36D, GU10-P 2W, GU10-P 3W, GU10-P 4W, GU10-P 5W, GU10-T 3.5W 36D, GU10-T 3.5W 120D, JDR-P E14 2W, JDR-P E14 3W, JDR-P B15 2W, JDR-P B15 3W, JDR-P E27 2W, JDR-P E27 3W, JDR-P B22 2W, JDR-P B22 3W, JDR-P E14 4W, JDR-P B15 4W, JDR-P E27 4W, JDR-P B22 4W, JDR-P E14 5W, JDR-P B15 5W, JDR-P E27 5W, JDR-P B22 5W, R39-S E14 3W, R39-P E14 3W, R50-S B15 4W, R50-S B15 5W, R50-S E14 4W, R50-S E14 5W, R50-P B15 4W, R50-P B15 5W, R50-P E14 4W, R50-P E14 5W, B35-P 3W E27, B35-P 3W E14, P45-P 3W E27, P45-P 3W E14, P45-P 4W B15, P45-P 4W B22, P45-P 4W E14, P45-P 4W E27, G45-P 3W E27, G45-P 3W E14, B35-P 4W E27, B35-P 4W E14, B35-P 4W B15, B35-P 4W B22, B35-C 4W E27, B35-C 4W E14, B35-C 4W B15, B35-C 4W B22, P45-P 4W E27, P45-P 4W E14, G45-P 4W E27, G45-P 4W E14, A60-L E27 6W, A60-L E27 8W, A60-L E27 10W, A60-Q E27 6W, A60-Q E27 8W, A60-Q E27 10W, A60-L B22 6W, A60-L B22 8W, A60-L B22 10W, A60-Q B22 6W, A60-Q B22 8W, A60-Q B22 10W, ST26-S E14 1.9W, ST26-S E14 2.5W, B35-P 1.9W E27, B35-P 1.9W E14, B35-P 1.9W B15, B35-P 1.9W B22, P45-P 1.9W E27, P45-P 1.9W E14, P45-P 1.9W B15, G45-P 1.9W E27, G45-P 1.9W E14, G45-P 1.9W B15, BA35-P 4W B15, BA35-P 4W B22, BA35-P 4W E14, BA35-P 4W E27, G45-P 4W B15, G45-P 4W B22, G45-P 4W E14, G45-P 4W E27, PEAR-P E14 4W, PEAR-P B15 4W, PEAR-P B22 4W, PEAR-P E27 4W, R50-P B15 6W, R50-P E14 6W, R63-P E27 8W, R63-P B22 8W, GU10-P 6W, JDR-P E27 6W, JDR-P E14 6W, GU10-P 3W-1, JDR-P E27 3W-1, JDR-P E14 3W-1

Brand Name:**Polaroid****Parameters:**

Rated voltage:	220-240V~
Rated frequency:	50Hz
Rated power:	See attachment

Factory(ies):

82949

Page 2 of 5



CERTIFICATE
No. Z1A 14 03 82949 020

Attachment of Model List

Model	Voltage	Current	Frequency	PCB	Lamp Cap	Color Temperature
R63-S 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S 10W E27	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 10W B22	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 5W E27	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 5W B22	220-240V	48mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 4W E27	220-240V	42mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 4W B22	220-240V	42mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	48mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-P 4W 36D	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W 36D	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 2W	220-240V	30mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 3W	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 4W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 36D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 120D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
JDR-P E14 2W	220-240V	30mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P E14 3W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 2W	220-240V	30mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P B15 3W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 2W	220-240V	30mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P E27 3W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 2W	220-240V	30mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P B22 3W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P E14 4W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 4W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 4W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K



CERTIFICATE
No. Z1A 14 03 82949 020

JDR-P B22 4W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P E14 5W	220-240V	48mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 5W	220-240V	48mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 5W	220-240V	48mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 5W	220-240V	48mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
R39-S E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R39-P E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
B35-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
P45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W B15	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 4W B22	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W E27	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-C 4W E14	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-C 4W B15	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W B22	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
A60-L E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K



CERTIFICATE
No. Z1A 14 03 82949 020

A60-Q B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
ST26-S E14 1.9W	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
ST26-S E14 2.5W	220-240V	28mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 1.9W B22	220-240V	18mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
BA35-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
BA35-P 4W E27	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
PEAR-P E14 4W	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
PEAR-P B15 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P B22 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P E27 4W	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
R50-P B15 6W	220-240V	52mA	50Hz	PCB1	B15	2700K/3000K/4500K/6400K
R50-P E14 6W	220-240V	52mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
R63-P E27 8W	220-240V	63mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 8W	220-240V	63mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-P 6W	220-240V	48mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 6W	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 6W	220-240V	48mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
GU10-P 3W-1	220-240V	31mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 3W-1	220-240V	31mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 3W-1	220-240V	31mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K



Product Service

ZERTIFIKAT

Nr. Z1A 14 03 82949 020

Zertifikatsinhaber: **GBT GmbH**
An Gut Nazareth 18 a, 52353, Düren, GERMANY

Prüfzeichen:



Produkt: **LED Lampen**

Geprüft nach: EN 62560:2012
EN 62471:2008
EN 62493:2010
ZEK 01.4-08

Das Produkt entspricht hinsichtlich der Gewährleistung von Sicherheit und Gesundheit den Anforderungen des deutschen Produktsicherheitsgesetzes § 20 bis 22 ProdSG. Es kann mit den oben abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung der Prüfzeichen ist nicht erlaubt. Die Übertragung eines Zertifikates durch den Zertifikatsinhaber an Dritte ist unzulässig. Das Zertifikat ist gültig bis zum angegebenen Zeitpunkt, sofern es nicht früher gekündigt wird. Umseitige Hinweise sind zu beachten.

Prüfbericht Nr.: 704021346301-04

Gültig bis: 2019-03-04

Datum, 2014-03-05


(Binwen Zhang)

Seite 1 von 5



ZERTIFIKAT

Nr. Z1A 14 03 82949 020

Modell(e):

R63-S 6W E27, R63-S 6W B22, R63-S 10W E27,
 R63-S 10W B22, R63-P E27 6W, R63-P B22 6W,
 R63-P E27 10W, R63-P B22 10W, R63-S E27 6W,
 R63-S B22 6W, R63-S E27 10W, R63-S B22 10W,
 A55-P 5W E27, A55-P 5W B22, A55-P 6W E27,
 A55-P 6W B22, A55-P 4W E27, A55-P 4W B22,
 GU10-S 4W, GU10-S 5W, GU10-S 4W,
 GU10-S 5W, GU10-P 4W 36D, GU10-P 5W 36D,
 GU10-P 2W, GU10-P 3W, GU10-P 4W,
 GU10-P 5W, GU10-T 3.5W 36D, GU10-T 3.5W 120D,
 JDR-P E14 2W, JDR-P E14 3W, JDR-P B15 2W ,
 JDR-P B15 3W , JDR-P E27 2W, JDR-P E27 3W,
 JDR-P B22 2W, JDR-P B22 3W, JDR-P E14 4W,
 JDR-P B15 4W , JDR-P E27 4W , JDR-P B22 4W ,
 JDR-P E14 5W, JDR-P B15 5W, JDR-P E27 5W,
 JDR-P B22 5W, R39-S E14 3W, R39-P E14 3W ,
 R50-S B15 4W, R50-S B15 5W, R50-S E14 4W,
 R50-S E14 5W, R50-P B15 4W, R50-P B15 5W,
 R50-P E14 4W, R50-P E14 5W, B35-P 3W E27,
 B35-P 3W E14, P45-P 3W E27, P45-P 3W E14,
 P45-P 4W B15, P45-P 4W B22, P45-P 4W E14,
 P45-P 4W E27, G45-P 3W E27, G45-P 3W E14,
 B35-P 4W E27, B35-P 4W E14, B35-P 4W B15,
 B35-P 4W B22, B35-C 4W E27, B35-C 4W E14,
 B35-C 4W B15, B35-C 4W B22, P45-P 4W E27,
 P45-P 4W E14, G45-P 4W E27, G45-P 4W E14,
 A60-L E27 6W, A60-L E27 8W, A60-L E27 10W,
 A60-Q E27 6W, A60-Q E27 8W, A60-Q E27 10W,
 A60-L B22 6W, A60-L B22 8W, A60-L B22 10W,
 A60-Q B22 6W, A60-Q B22 8W, A60-Q B22 10W,
 ST26-S E14 1.9W , ST26-S E14 2.5W, B35-P 1.9W E27,
 B35-P 1.9W E14, B35-P 1.9W B15, B35-P 1.9W B22,
 P45-P 1.9W E27, P45-P 1.9W E14 , P45-P 1.9W B15,
 G45-P 1.9W E27, G45-P 1.9W E14, G45-P 1.9W B15,
 BA35-P 4W B15, BA35-P 4W B22, BA35-P 4W E14,
 BA35-P 4W E27, G45-P 4W B15, G45-P 4W B22,
 G45-P 4W E14, G45-P 4W E27, PEAR-P E14 4W,
 PEAR-P B15 4W, PEAR-P B22 4W, PEAR-P E27 4W,
 R50-P B15 6W, R50-P E14 6W, R63-P E27 8W,
 R63-P B22 8W, GU10-P 6W, JDR-P E27 6W,
 JDR-P E14 6W, GU10-P 3W-1, JDR-P E27 3W-1,
 JDR-P E14 3W-1

Marke:**Polaroid****Kenndaten:**

Nennspannung: 220-240V~
 Nennfrequenz: 50Hz
 Nennleistung: Siehe Anhang

**Produktions-
stätte(n):**

82949

Seite 2 von 5

Anhang der Modellliste

Modell	Spannung	Strom	Frequenz	PCB	Lampen- socket	Farbe von LED
R63-S 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S 10W E27	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 10W B22	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 5W E27	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 5W B22	220-240V	48mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 4W E27	220-240V	42mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 4W B22	220-240V	42mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	48mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-P 4W 36D	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W 36D	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 2W	220-240V	30mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 3W	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 4W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 36D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 120D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
JDR-P E14 2W	220-240V	30mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P E14 3W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 2W	220-240V	30mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P B15 3W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 2W	220-240V	30mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P E27 3W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 2W	220-240V	30mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P B22 3W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P E14 4W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 4W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 4W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K



**ZERTIFIKAT
NR. Z1A 14 03 82949 020**

JDR-P B22 4W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P E14 5W	220-240V	48mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 5W	220-240V	48mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 5W	220-240V	48mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 5W	220-240V	48mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
R39-S E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R39-P E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
B35-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
P45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W B15	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 4W B22	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W E27	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-C 4W E14	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-C 4W B15	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W B22	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
A60-L E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K

**ZERTIFIKAT
NR. Z1A 14 03 82949 020**



Product Service

A60-Q B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
ST26-S E14 1.9W	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
ST26-S E14 2.5W	220-240V	28mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 1.9W B22	220-240V	18mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
BA35-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
BA35-P 4W E27	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
PEAR-P E14 4W	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
PEAR-P B15 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P B22 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P E27 4W	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
R50-P B15 6W	220-240V	52mA	50Hz	PCB1	B15	2700K/3000K/4500K/6400K
R50-P E14 6W	220-240V	52mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
R63-P E27 8W	220-240V	63mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 8W	220-240V	63mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-P 6W	220-240V	48mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 6W	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 6W	220-240V	48mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
GU10-P 3W-1	220-240V	31mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 3W-1	220-240V	31mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 3W-1	220-240V	31mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K



Product Service

Attestation of Conformity

No. N8 14 03 82949 019

Holder of Certificate: GBT GmbH

An Gut Nazareth 18 a, 52353, Düren, GERMANY

Product: LED Lamps

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 704021346301-04



Date, 2014-03-05


(Binwen Zhang)

CE After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 5



Product Service

CERTIFICATE

No. Z1A 14 03 82949 020

Model(s):

R63-S 6W E27, R63-S 6W B22, R63-S 10W E27, R63-S 10W B22, R63-P E27 6W, R63-P B22 6W, R63-P E27 10W, R63-P B22 10W, R63-S E27 6W, R63-S B22 6W, R63-S E27 10W, R63-S B22 10W, A55-P 5W E27, A55-P 5W B22, A55-P 6W E27, A55-P 6W B22, A55-P 4W E27, A55-P 4W B22, GU10-S 4W, GU10-S 5W, GU10-S 4W, GU10-S 5W, GU10-P 4W 36D, GU10-P 5W 36D, GU10-P 2W, GU10-P 3W, GU10-P 4W, GU10-P 5W, GU10-T 3.5W 36D, GU10-T 3.5W 120D, JDR-P E14 2W, JDR-P E14 3W, JDR-P B15 2W, JDR-P B15 3W, JDR-P E27 2W, JDR-P E27 3W, JDR-P B22 2W, JDR-P B22 3W, JDR-P E14 4W, JDR-P B15 4W, JDR-P E27 4W, JDR-P B22 4W, JDR-P E14 5W, JDR-P B15 5W, JDR-P E27 5W, JDR-P B22 5W, R39-S E14 3W, R39-P E14 3W, R50-S B15 4W, R50-S B15 5W, R50-S E14 4W, R50-S E14 5W, R50-P B15 4W, R50-P B15 5W, R50-P E14 4W, R50-P E14 5W, B35-P 3W E27, B35-P 3W E14, P45-P 3W E27, P45-P 3W E14, P45-P 4W B15, P45-P 4W B22, P45-P 4W E14, P45-P 4W E27, G45-P 3W E27, G45-P 3W E14, B35-P 4W E27, B35-P 4W E14, B35-P 4W B15, B35-P 4W B22, B35-C 4W E27, B35-C 4W E14, B35-C 4W B15, B35-C 4W B22, P45-P 4W E27, P45-P 4W E14, G45-P 4W E27, G45-P 4W E14, A60-L E27 6W, A60-L E27 8W, A60-L E27 10W, A60-Q E27 6W, A60-Q E27 8W, A60-Q E27 10W, A60-L B22 6W, A60-L B22 8W, A60-L B22 10W, A60-Q B22 6W, A60-Q B22 8W, A60-Q B22 10W, ST26-S E14 1.9W, ST26-S E14 2.5W, B35-P 1.9W E27, B35-P 1.9W E14, B35-P 1.9W B15, B35-P 1.9W B22, P45-P 1.9W E27, P45-P 1.9W E14, P45-P 1.9W B15, G45-P 1.9W E27, G45-P 1.9W E14, G45-P 1.9W B15, BA35-P 4W B15, BA35-P 4W B22, BA35-P 4W E14, BA35-P 4W E27, G45-P 4W B15, G45-P 4W B22, G45-P 4W E14, G45-P 4W E27, PEAR-P E14 4W, PEAR-P B15 4W, PEAR-P B22 4W, PEAR-P E27 4W, R50-P B15 6W, R50-P E14 6W, R63-P E27 8W, R63-P B22 8W, GU10-P 6W, JDR-P E27 6W, JDR-P E14 6W, GU10-P 3W-1, JDR-P E27 3W-1, JDR-P E14 3W-1

Brand Name:**Polaroid****Parameters:**

Rated voltage:	220-240V~
Rated frequency:	50Hz
Rated power:	See attachment

Factory(ies):

82949

Page 2 of 5

Attestation of Conformity
No. N8 14 03 82949 019



Product Service

Attachment of Model List

Model	Voltage	Current	Frequency	PCB	Lamp Cap	Color Temperature
R63-S 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S 10W E27	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S 10W B22	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-P E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
R63-S E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-S B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 5W E27	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 5W B22	220-240V	48mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 6W E27	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 6W B22	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A55-P 4W E27	220-240V	42mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A55-P 4W B22	220-240V	42mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	42mA	50Hz	PCB2	GU10	2700K/3000K/4500K/6400K
GU10-S 4W	220-240V	42mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-S 5W	220-240V	48mA	50Hz	PCB4	GU10	2700K/3000K/4500K/6400K
GU10-P 4W 36D	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W 36D	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 2W	220-240V	30mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 3W	220-240V	40mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 4W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-P 5W	220-240V	42mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 36D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
GU10-T 3.5W 120D	220-240V	34mA	50Hz	PCB5	GU10	2700K/3000K/4500K/6400K
JDR-P E14 2W	220-240V	30mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P E14 3W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 2W	220-240V	30mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P B15 3W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 2W	220-240V	30mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P E27 3W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 2W	220-240V	30mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P B22 3W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
JDR-P E14 4W	220-240V	40mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 4W	220-240V	40mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 4W	220-240V	40mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 4W	220-240V	40mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K

Attestation of Conformity
No. N8 14 03 82949 019



Product Service

JDR-P E14 5W	220-240V	48mA	50Hz	PCB5	E14	2700K/3000K/4500K/6400K
JDR-P B15 5W	220-240V	48mA	50Hz	PCB5	B15	2700K/3000K/4500K/6400K
JDR-P E27 5W	220-240V	48mA	50Hz	PCB5	E27	2700K/3000K/4500K/6400K
JDR-P B22 5W	220-240V	48mA	50Hz	PCB5	B22	2700K/3000K/4500K/6400K
R39-S E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R39-P E14 3W	220-240V	34mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-S E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-S E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P B15 4W	220-240V	42mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P B15 5W	220-240V	48mA	50Hz	PCB2	B15	2700K/3000K/4500K/6400K
R50-P E14 4W	220-240V	42mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
R50-P E14 5W	220-240V	48mA	50Hz	PCB2	E14	2700K/3000K/4500K/6400K
B35-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
P45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 3W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 4W B15	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 4W B22	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W E27	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-C 4W E14	220-240V	48mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-C 4W B15	220-240V	48mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
B35-C 4W B22	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	48mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	48mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
A60-L E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 6W	220-240V	50mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 8W	220-240V	65mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-Q E27 10W	220-240V	83mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
A60-L B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-L B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 6W	220-240V	50mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K

Attestation of Conformity
No. N8 14 03 82949 019



Product Service

A60-Q B22 8W	220-240V	65mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
A60-Q B22 10W	220-240V	83mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
ST26-S E14 1.9W	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
ST26-S E14 2.5W	220-240V	28mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
B35-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
B35-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
B35-P 1.9W B22	220-240V	18mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
P45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
P45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
P45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 1.9W E27	220-240V	18mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
G45-P 1.9W E14	220-240V	18mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 1.9W B15	220-240V	18mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
BA35-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
BA35-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
BA35-P 4W E27	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B15	220-240V	34mA	50Hz	PCB3	B15	2700K/3000K/4500K/6400K
G45-P 4W B22	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
G45-P 4W E14	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
G45-P 4W E27	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
PEAR-P E14 4W	220-240V	34mA	50Hz	PCB3	E14	2700K/3000K/4500K/6400K
PEAR-P B15 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P B22 4W	220-240V	34mA	50Hz	PCB3	B22	2700K/3000K/4500K/6400K
PEAR-P E27 4W	220-240V	34mA	50Hz	PCB3	E27	2700K/3000K/4500K/6400K
R50-P B15 6W	220-240V	52mA	50Hz	PCB1	B15	2700K/3000K/4500K/6400K
R50-P E14 6W	220-240V	52mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
R63-P E27 8W	220-240V	63mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
R63-P B22 8W	220-240V	63mA	50Hz	PCB1	B22	2700K/3000K/4500K/6400K
GU10-P 6W	220-240V	48mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 6W	220-240V	48mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 6W	220-240V	48mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K
GU10-P 3W-1	220-240V	31mA	50Hz	PCB1	GU10	2700K/3000K/4500K/6400K
JDR-P E27 3W-1	220-240V	31mA	50Hz	PCB1	E27	2700K/3000K/4500K/6400K
JDR-P E14 3W-1	220-240V	31mA	50Hz	PCB1	E14	2700K/3000K/4500K/6400K